



Europäisches Patentamt
European Patent Office
Office européen des brevets



Publication number: **0 505 087 A2**

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: **92302114.1**

(51) Int. Cl.⁵: **G06F 15/32**

(22) Date of filing: **12.03.92**

(30) Priority: **20.03.91 JP 57095/91**

(43) Date of publication of application:
23.09.92 Bulletin 92/39

(84) Designated Contracting States:
DE FR GB

(71) Applicant: **HITACHI, LTD.**
6, Kanda Surugadai 4-chome
Chiyoda-ku, Tokyo 101 (JP)


(72) Inventor: **Kumahora, Hiroki**
15-3-2 Suwa-cho, 4-chome
Hitachi-shi, Ibaraki 316 (JP)
Inventor: **Tago, Kazutami**
D301 3-14 Higashitaga-cho
Hitachi-shi, Ibaraki 316 (JP)
Inventor: **Kobayashi, Kinya**
25-48 Kuji-cho 2-chome
Hitachi-shi, Ibaraki 319-12 (JP)
Inventor: **Kurita, Noriyuki**
B210 12-1 Ayukawa-cho 6-chome
Hitachi-shi, Ibaraki 316 (JP)

(74) Representative: **Calderbank, Thomas Roger et al**
MEWBURN ELLIS 2 Cursitor Street
London EC4A 1BQ (GB)

(54) Method for solving a non linear problem by iteration.

(57) In order to solve a non-linear problem, an iteration method is used in which, in each iteration step (11), a prediction result of the non-linear is solved by a plurality of prediction methods (15), to obtain a plurality of parallel predicted solutions. Then the optimum one of those predicted solutions is selected (16) and the corresponding prediction result is then the prediction result used in the next iteration step (11). Thus, at each iteration step, the optimum method is used from a plurality of prediction methods. Hence, the predicted solutions converge rapidly to a final solution. The optimum solution is determined by comparing the predicted solution of each prediction method with the prediction result of the previous iteration, e.g. on the basis of difference, absolute difference, or ratio.

FIG. 3



EP 0 505 087 A2